

Amendment  
Application No. 10/550,626  
Attorney Docket No. 053165

### **AMENDMENTS TO THE CLAIMS**

This listing of claims replaces all prior versions of claims in the application.

#### **Listing of Claims**

Claim 1 (original): A resin composition containing an alicyclic structure-containing polymer and a hindered amine compound, wherein

said hindered amine compound has (1) a 400 nm light transmittance measured by a 10 mm light path cell in a 5 wt% chloroform solution of 90% or more and (2) a molecular weight of 1500 or more.

Claim 2 (original): The resin composition as set forth in claim 1, wherein said hindered amine compound is a polymer.

Claim 3 (currently amended): The resin composition as set forth in claim 2, wherein said hindered amine compound polymer is poly [{6-(1,1,3,3-tetramethylbutyl)amino-1, 3, 5-triazine-2, 4-diyl} {(2, 2, 6, 6-tetramethyl-4-piperidyl)imino}hexamethylene { (2, 2, 6, 6-tetramethyl-4-piperidyl) imino}].

~~Poly [{6-(1,1,3,3-tetramethylbutyl)amino-1, 3, 5-triazine-2, 4-diyl} {(2, 2, 6, 6-tetramethyl-4-piperidyl)imino}hexamethylene { (2, 2, 6, 6-tetramethyl-4-piperidyl) imino}]~~.

Amendment  
Application No. 10/550,626  
Attorney Docket No. 053165

Claim 4 (original): The resin composition as set forth in any one of claims 1 to 3, wherein the content of said hindered amine compound is 0.01 to 1.5 parts by weight with respect to 100 parts by weight of said alicyclic structure-containing polymer.

Claim 5 (original): A resin composition as set forth in claim 1, further containing another polymer ingredient with a metal content of 50 ppm or less, the content of said other polymer ingredient being 0.05 to 70 parts by weight with respect to 100 parts by weight of said alicyclic structure-containing polymer.

Claim 6 (previously presented): A transparent shaped article comprised of a resin composition as set forth in any one of claims 1-3 or 5.

Claim 7 (original): The transparent shaped article as set forth in claim 6, used for a device using a blue laser.

Claim 8 (new): A resin composition containing an alicyclic structure-containing polymer and a hindered amine compound, wherein said hindered amine compound has (1) a 400 nm light transmittance measured by a 10 mm light path cell in a 5 wt% chloroform solution of 90% or more and (2) a molecular weight of 1500 or more, wherein a transparent article made from the resin composition shows no clouding.

Amendment

Application No. 10/550,626

Attorney Docket No. 053165

Claim 9 (new): The resin composition as set forth in claim 8, wherein said hindered amine compound is poly [{6-(1,1,3,3-tetramethylbutyl)amino-1, 3, 5-triazine-2, 4-diyl} {(2, 2, 6, 6-tetramethyl-4-piperidyl)imino}hexamethylene { (2, 2, 6, 6-tetramethyl-4-piperidyl) imino}].

Claim 10 (new): The resin composition as set forth in claim 9, wherein said hindered amine compound has a 400 nm light transmittance measured by a 10 mm light path cell in a 5 wt% chloroform solution of 97% or more.

Claim 11 (new): A transparent shaped article comprised of a resin composition as set forth in claim 10.

Claim 12 (new): A transparent shaped article as set forth in claim 11, wherein the transparent shaped article is capable of being used for a device using a blue laser.